

MODELS 8300/8500

CLASSIC STEEL



Model 8300, Sonoma Ranch panel, Mission Oak finish, Stockbridge IV (3-Lite) windows

classic. stylish. efficient.

Made with two layers of steel and polyurethane foam insulation, Models 8300 and 8500 are extremely durable.

Not only that, they are offered in five designs with factory-finished colors or an optional bi-directional wood grain finish that emulates the beauty of real wood.



PERFORMANCE FEATURES



Insulation

Models 8300 and 8500 come with foamed-in-place polyurethane insulation with an R-value* of 12.12 for Model 8300 and R-value of 16.22 for Model 8500. Insulation can improve your home's thermal efficiency, reduce street noise, and make the door operate more quietly.

Effective Joint Seals

Snug-fitting tongue-and-groove section joints reduces wind and weather from entering the garage.



Heavy Gauge Steel End Caps

Wrap-around end caps trim out door edges for better appearance, improved strength and protect the insulation from damage.

High Cycle Spring Option

Choose a 25,000 cycle spring for almost twice the life of a torsion spring.

Silent Glide Rollers

Nylon rollers with solid steel shafts provide years of smooth, quiet and dependable operation.

wind SAFE

Available with optional hardware and reinforcement for high-wind regions.



Warranty

Models 8300 and 8500 offer a Limited Lifetime Warranty on the steel skin. See full text of warranty for details.


*Wayne Dalton uses a calculated door section R-value for our insulated doors.

8300/8500 Model Comparison

| | MODEL 8300 | MODEL 8500 | |
|--|---|-------------------------------|--|
| Door construction | 3-layer construction steel/ insulation/steel3-layer construction, steesteel 2" thick steel p | | |
| Polyurethane insulation* | Yes | Yes | |
| Insulation R-value** | R-12.12 | R-16.22 Highest of all models | |
| Tongue-and-groove section joints to seal out weather | Yes | Yes | |
| Warranty | Limited Lifetime | Limited Lifetime | |

*Polyurethane insulation provides superior insulation value and thermal efficiency compared to polystyrene. **Wayne Dalton uses a calculated door section R-value for our insulated doors.

1 Choose Your Style



(Model 8300 only)

Ranch

| Nalich | |
|--------------|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | l |
| Contemporary | |
| | |

| Sonoma | |
|--------|--|





Available with the TruChoice[®] Color System, Wayne Dalton's custom painting process that offers more than 6,000 colors. See dealer for details.

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your dealer for accurate color matching.

3 **Choose Your Windows**

Clear III*

Stockton I

Waterton I

Cascade II

Stockbridge II

 \otimes \otimes

Reflections Brass

ΚУ

For Colonial and Contemporary Panels

| Clear I | | hitman | | |
|----------------|-----------|--------|-------|--|
| [meretaring] | [managed] | 1 | - | |

Cathedral I



Prairie I

Décor[™] windows



Majestic Brass

For Ranch Panels



Clear II



Sherwood II



Williamsburg II

Décor[™] windows



Williamsburg II Single Arch



Cascade I

Stockton III*

 \rightarrow

Majestic Leaded

Cathedral II

Stockton II

Waterton III*

鲁

 \leftrightarrow

鲁

Reflections Brass II

Majestic Leaded II



Cascade III*

Williamsburg I *Contemporary Panel only



Reflections Leaded



Prairie II




Waterton II



Reflections Leaded II



For Sonoma Ranch Panels (Model 8300 only)



Arched Stockton Single

Arched Stockton Double

Not all windows are available in all sizes or in all areas. Check with your Wayne Dalton dealer for details.



Glass Options



Clear*



Gray Tinted





Green Tinted



Bronze Tinted


*Insulated glass available. See your Wayne Dalton dealer for details.

Satin Etched Privacy*

Obscure*

Optional Window Placement Vertical window column





Windows may be arranged vertically or horizontally on Colonial, Ranch and Contemporary designs. Up to 50% (two rows) of the door can include windows. Windows placed in the bottom section of a door must use DSB 1/8", or tempered, or 1/2" insulated glass.

Contemporary panel, White finish with Clear II windows

Choose Your Hardware Δ








Spear

See website for complete line of decorative hardware.



Contemporary panel, TruChoice[®] custom finish, Clear I Vertical windows





Garage Door Design Center

To see this door on your home, visit **wayne-dalton.com** and try our Garage Door Design Center. Upload a photo of your home and experiment with panel designs, color options, window styles and decorative hardware designs. Instant curb appeal awaits you with just a click of your mouse.



2501 S. State Hwy. 121 Bus., Ste 200 Lewisville, TX 75067

wayne-dalton.com



© 2018 Wayne Dalton, a Division of Overhead Door Corporation. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. Item 352062 10M 01/18 JAR

DISTRIBUTED BY: